



Published on: 01/02/2012  
Reviewed on: 17/07/2014

# Material Safety Data Sheet

Conforms to EU Directive 91/155

## 1. Identification of Substance

### Product Details

Trade name.....: ***E-Res ACRYL 638***

Product code.....: **FEEresacryl638**

Application of the substance/preparation: **Alkali-Soluble Resin Dispersion , for use  
in Polymer Floor Sealers**

### Manufacturer/Supplier:

Ecwamix Chemical Sysytems cc  
3 Granville Avenue, Lea Glen  
Robertville  
Roodepoort, Gauteng  
South Africa

### Information:

Tel: (o/h) +27 011 472 2256  
Fax: +27 011 472 2121  
e-mail: [ecwamix@netactive.co.za](mailto:ecwamix@netactive.co.za)  
web: [www.ecwamix.co.za](http://www.ecwamix.co.za)

### Emergency information:

Office hours: +27 011 472 2256

## 2. Composition/information on components

### Chemical characterization

Description.....: Aqueous solution(emulsion) of Resinous Polymer

Dangerous components: None

## 3. Hazards Identification

Hazard designation: Not Applicable

**Information pertaining to particular dangers for man and the environment:** This product does not contain any substances presenting a health or environmental hazard as defined by Directive 67/548/EEC, nor any substances for which there are community workplace exposure limits in concentrations equal to or greater than those laid down in Directive 99/45/EC.

## 4. First Aid measures

**General information:** Irritant vapour - None.

**After inhalation:** Supply fresh air; consult doctor in case of symptoms.

**After skin contact:** Immediately wash with soap and water and rinse thoroughly.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** In case of persistent symptoms consult doctor.



Published on: 01/02/2012

Reviewed on: 17/07/2014

## Material Safety Data Sheet

Conforms to EU Directive 91/155

Trade name: **E-Res ACRYL 638**

### 5. Fire Fighting measures

**Thermal Decomposition:** Thermal decomposition may yield acrylic monomers.

**Extinguishing media:** Use extinguishing media appropriate for surrounding fire.

**Specific Hazards:** Material can splatter above 100°C. Dried product can burn.

**Protective equipment:** Wear self-contained breathing apparatus and protective suit.

### 6. Accidental release measures

**Personal safety precautions:** Wear respiration equipment and protective clothing.

**Measures for environmental protection:** Should not be discharged into water courses without prior treatment (Demulsify, collect solids & incinerate. Or by biological purification plant).

**Measures for cleaning/collecting:**

Absorb with liquid-binding material (sand, sawdust, cotton waste, etc ).

Smaller amounts of contaminated binding material can be disposed of with municipal waste.

### 7. Handling and Storage

#### Handling

**Information for safe handling:** Wear respiration equipment (Inorganic cartridge) & Eye protection

**Information about protection against explosion & fire:** No special measures required.

#### Storage

**Requirements to be met by storerooms and containers:** Store in Ambient conditions.

**Information about storage in a common storage facility:** Store in ambient conditions

**Further information about storage conditions:**

**Protect from frost/freezing-product stability may be affected. STIR WELL BEFORE USE.**

**Protect from heat and direct sunlight.**

### 8. Exposure Controls & Personal Protection

**Additional information about design of technical systems:** No further data; see item 7.

**Components with critical values that require monitoring at the workplace:**

NONE

**Additional information:** Information valid at the time of review of MSDS.

#### Personal protective equipment

##### General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

**Respiratory protection:** Respirator with Inorganic cartridge

**Protection of hands:** Protective gloves.

**Eye protection:** Safety glasses with side-shields recommended during refilling.

**Body protection:** Protective work clothing.



Published on: 01/02/2012  
Reviewed on: 17/07/2014

## Material Safety Data Sheet

Conforms to EU Directive 91/155

Trade name: **E-Res ACRYL 638**

### 9. Physical & Chemical properties

Physical state.....:	Viscous Liquid
Appearance.....:	Milky-White Emulsion
Odour.....:	Acrylic
pH value at 20°C.....:	4.0 - 4.5
Boiling point/range.....:	ca. 100° Water
Melting point/range.....:	0°C Water
Flash Point.....:	Not Flammable in form as supplied
Lower Explosive Limit.....:	N/A
Upper Explosive Limit.....:	N/A
Relative Vapour density.....:	< 1.0 Water
Relative density.....:	1.078 - 1.082 g/cm <sup>3</sup>
Solubility.....:	Dilutable in water
Evaporation Rate.....:	< 1.0 Water
Organic Solvent content.....:	N/A
Solids Content.....:	38 - 40%

### 10. Stability & Reactivity

**Stability:** The product is stable  
**Conditions to avoid:** Excessive heat (+40°C) and freezing. Repeated freezing and thawing  
**Minimum Shelf life:** 12 months from date of manufacture  
**Dangerous reactions:** None known  
**Dangerous products of decomposition:** None if used as recommended

### 11. Toxicological Information

**Acute toxicity:**

LD/LC<sub>50</sub> values that are relevant for classification: N/A

**Acute oral toxicity:** LD50 rat > 5000 mg/kg  
**Acute dermal toxicity:** LD50 rabbit > 5000 mg/kg

**Primary irritant effect:**

**Skin contact:** No immediate irritant effect.  
**Eye contact:** Very irritant effect.  
**Sensitization:** No sensitizing effect known.

### 12. Ecological Information

**Information about elimination (persistence and degradability):** No Data Available

**Method:** N/A

**Analysing method:** N/A

**Degree of elimination:** N/S

**Other information:**

The product is eliminated in waste water treatment plants by physical and biological means.

**Ecotoxicological effects:**

If contaminated effluent water is properly entered into the sewerage system. Any interference with the degrading activity of the activated sludge organisms must not be expected

**Additional ecological information:** N/A

**AOX indication:** N/A

The product does not contain substance which can influence the AOX value of effluent water.

**Heavy metals and compounds (according EC guideline NO. 76/464 EC):** None



Published on: 01/02/2012

Reviewed on: 17/07/2014

## Material Safety Data Sheet

Conforms to EU Directive 91/155

Trade name: **E-Res ACRYL 638**

### 13. Disposal Considerations

Always consult local legislative bylaws. If in doubt hand over to a specifically authorized hazardous waste treatment plant.

**Contaminated packaging:**

**Recommendation**.....: Packaging can be reused or recycled after cleaning.

**Recommended cleaning agent:** Water, if necessary with cleaning agent.

### 14. Transport information

**Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)**

**ADRIR Class:** - Not Regulated

**Maritime transport IMDG/GGVS:**

**IMDG Class:** - Not Regulated

**Marine pollutant:** No

**Air transport ICAO-TI and IATA-DGR:**

**ICAO/IATA Class:** - Not Regulated

**Transport/Additional information:** Not hazardous for transport according to A.M. regulations.

### 15. Regulatory information

**Designation according to EC guidelines:**

The product is not subject to identification regulations under EC Directives and the Ordinance on Hazardous Materials (CHIP).

Observe the normal safety regulations when handling chemicals.

**National regulations**

**Classification according to VbF:** None

**Water hazard class:** .....:N/A.

### 16. Other information

**Notice to Reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Data specification sheet issued by:** **Ecwa mix Chemical Systems**

**Contact:** Patrick Roux